

Declaration of Performance (DoP)



No. F370 Advance-CPR-200223	
Product Type:	Roomheaters fired by solid fuel
Type, batch or serial number:	Jøtul F 370 Advance (F371 Advance, F373 Advance, F377 Advance, F378 Advance, F371 Advance High Top, F377 Advance High Top, F378 Advance High Top)
Intended use of the product:	Roomheater burning solid fuel without water supply
Name and Address of the manufacturer:	Jøtul AS Postboks 1411, 1602 Fredrikstad, Norway Tel.: +47 69 35 90 00 E-mail: post@jotul.no
AVCP: <i>System(s) of assessment and verification of constancy of performance (AVCP) of the construction product as set out in CPR, Annex V</i>	System 3
Notified body:	Danish Technological Institute
NB-No:	1235
Test report no:	300-ELAB-2223-EN
Declared performance:	
Harmonized technical specification	EN 13240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fuel	Wood logs
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm (F 377 Advance High Top) Rear = 75 (50) Sides = 700 (600) Corner = 450 (450) Front = 1100 (1100) <i>See also the installation instructions</i>
Risk of burning fuel falling out	No
Emission of combustion products	CO [0,06 %], 731 mg/Nm ³ NOx [93 mg/m ³] OGC [45 mgC/m ³] PM [4 mg/m ³]
Surface temperature	Pass
Electrical safety	-
Cleanability	Pass
Maximum water operating pressure	-
Flue gas temperature at nominal heat output	T [275°C]
Mechanical resistance (to carry a chimney/flue)	NPD
Thermal output	
Normal heat output	6 kW
Room heating output	- kW
Water heating output	-*kW
Energy efficiency	η [78%]

Declaration:

The performance of the product in conformity with the declared performance.

This declaration of performance is issued under the sole responsibility of the manufacturer.

Signed on behalf of the manufacturer:

Espen Løkkevig

R&D

(Name and function)

Fredrikstad January, 2019

(Place and date of issue)

(Signature)